

# MATERIAL SAFETY DATA SHEET — 16 Sections

## SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier <b>Godors – The Athletic Gear Spray</b>			
Product Use Athletic Gear Deodorizer			
Manufacturer's Name Trucks and Stuff Inc.		Supplier's Name N/A	
Street Address 123 Lake Front Road		Street Address	
City Putnam Valley		State New York	City
Zip Code 10579	Emergency Telephone 800-424-9300	Zip Code	Emergency Telephone
Date MSDS Prepared March 3, 2014		MSDS Prepared By Mary Piotrowski	Phone Number 917-842-8659

## SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients ( <i>specific</i> )	%	CAS Number	LD <sub>50</sub> of Ingredient ( <i>specify species and route</i> )	LC <sub>50</sub> of Ingredient ( <i>specify species</i> )
Isopropyl Alcohol 99%	20	67-63-0	Oral (LD50): Acute:5045 mg/kg (Rat). 3600 mg/kg (Mouse). 6410 mg/kg (Rabbit)	Dermal: (LD50): Acute: 12800 mg/kg (Rabbit)

## SECTION 3 — HAZARDS IDENTIFICATION

Route of Entry	<input checked="" type="checkbox"/> Skin Contact	<input checked="" type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Eye Contact	<input checked="" type="checkbox"/> Inhalation	<input checked="" type="checkbox"/> Ingestion
Potential Acute Health	Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (Irritant, sensitizer).				
Potential Chronic Health Effects	Not applicable.				

## SECTION 4 — FIRST AID MEASURES

Skin Contact	Wash with soap and water. If irritation develops, apply cold water. Cover the irritated skin with an emollient.
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eye with cold water for at least 15 minutes. If irritation continues, get medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.
Ingestion	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.



**SECTION 5 — FIRE AND EXPLOSION DATA**

Flammable X Yes <input checked="" type="checkbox"/>	If yes, under which conditions?	
Means of Extinction Use CO2, water, or dry chemical.		
Flashpoint (° C) and Method 26 ° C Closed cup	Upper Flammable Limit (% by volume) N/A	Lower Flammable Limit (% by volume) N/A
Autoignition Temperature (°C) N/A	Explosion Data — Sensitivity to Impact N/A	Explosion Data — Sensitivity to Static Discharge N/A
Hazardous Combustion Products N/A		

**SECTION 6 — ACCIDENTAL RELEASE MEASURES**

Leak and Spill Procedures
Small spills of less than one gallon may be flushed with plenty of water to sanitary sewer system if permitted by local sewer regulations. Keep spills greater than one gallon away from drains and ground water.
Keep all unnecessary personnel away. Spill area may be slippery. Pick up excess with inert absorbent material and place into separate waste container.

**SECTION 7 — HANDLING AND STORAGE**

Handling Procedures and Equipment Avoid contact with eyes, skin, or clothing. Consider normal working hygiene. Handle with care and avoid spillage on the floor. Keep away from sources of ignition, wash thoroughly after handling.
Storage Requirements Store out of reach of children, keep container closed, store in a cool well-ventilated place away from strong oxidizing or alkaline products.

**SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION**

Exposure Limits <input type="checkbox"/> ACGIH TLV <input checked="" type="checkbox"/> Other (specify)
Specific Engineering Controls (such as ventilation, enclosed process) Normal room ventilation is satisfactory for limited use.
Personal Protective Equipment <input type="checkbox"/> Gloves <input type="checkbox"/> Respirator <input type="checkbox"/> Eye <input type="checkbox"/> Footwear <input type="checkbox"/> Clothing
Not intended as an air spray.  Intended to be sprayed on athletic gear surfaces such as plastic, foam and neoprene. Not intended to be sprayed in helmets. Instead spray solution on to paper towel and wipe interior surface area.  <b>Eye Protection Industrial Settings:</b> If a splash of solution is likely, chemical goggles may be needed.
Aim spray top toward athletic gear, pump trigger and saturate gear as needed.
It is recommended to treat athletic gear with spray 12 hours before wearing gear. The best practice is to dry out athletic between use. The spray can be applied to wet or dry athletic gear without affecting results.

**SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES**

Physical State Liquid	Odour and Appearance Bubble Gum Fragrance and light yellow in color.	Odour Threshold (ppm) N/A
Specific Gravity N/A	Vapour Density (air = 1) N/A	Vapour Pressure (mmHg) N/A
Evaporation Rate N/A	Boiling Point (° C) N/A	Freezing Point (° C) N/A
pH N/A	Coefficient of Water/Oil Distribution	[Solubility in Water] yes

**SECTION 10 — STABILITY AND REACTIVITY**

Chemical Stability <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If no, under which conditions?
Incompatibility with Other Substances <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes, which ones?
Reactivity, and under what conditions?	
Hazardous Decomposition Products	

**SECTION 11 — TOXICOLOGICAL INFORMATION**

Effects of Acute Exposure EYE CONTACT Causes possible eye irritation, redness and tearing SKIN CONTACT Causes possible skin irritation. INHALATION May cause temporary respiratory irritation, temporary central nervous system effects including dizziness INGESTION May cause temporary gastrointestinal irritation with nausea, vomiting and diarrhea
--

**SECTION 12 — ECOLOGICAL INFORMATION**

[Eco toxicity] N/A Product Degradation: Possible hazardous short term degradation products are not likely. Toxicity of the Product of Biodegradation: The product itself and its products of degradation are not toxic.
---

**SECTION 13 — DISPOSAL CONSIDERATIONS**

Waste Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations.
--

**SECTION 14 — TRANSPORT INFORMATION**

DOT Classification: Class 3: Flammable Liquid Identification: Isopropanol, solution (Isopropyl alcohol) UNNA: 1219 PG: II IATA PI Y963 ID8000 Consumer Commodity, 9
---

**SECTION 15 — REGULATORY INFORMATION**

[Component] Isopropyl Alcohol	[OAS/Perc] 67-63-0 20%
[Codes] MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TXAIR, WHMIS 1%	

**SECTION 16 — OTHER INFORMATION**

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemical produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

Information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. The user assumes all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. The information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

End of MSDS document.